

# Lectures on Challenging Mathematics

## Olympiad Math 2

### Algebra

Winter 2018

Zuming Feng

Phillips Exeter Academy and IDEA Math

zfeng@exeter.edu

©Copyright 2008 – 2018 Idea Math

# Contents

©Copyright 2008 – 2018 Idea Math

<b>I Algebra</b>	<b>3</b>
1.1 Algebra practice set 1	3
1.2 Polynomials, roots, and coefficients (part 1)	4
1.3 The second look at the AM-GM inequality	5
1.4 Algebra practice set 2	6
1.5 Polynomials, roots, and coefficients (part 2)	7
1.6 Relations between AM-GM-HM, Cauchy-Schwartz, and Schur	8
1.7 Algebra practice set 3	9
1.8 Introduction to functional equations (part 1)	10
1.9 Inequality practice set 1	11
1.10 Classification of conic curves	12
1.11 Algebra practice set 4	13
1.12 Introduction to functional equations (part 2)	14
1.13 Inequality practice set 2	15
1.14 Algebra practice set 5	16
1.15 Properties of polynomials	17
1.16 Inequality practice set 3	18
1.17 Algebra practice set 6	19
1.18 Introduction to functional equations (part 3)	20
1.19 Inequality practice set 4	21
1.20 Introduction to functional equations (part 4)	22

## 1.18 Introduction to functional equations (part 3)

1. Find all functions  $f: \mathbb{R} \rightarrow \mathbb{R}$  such that  $f(2x) = 2f(x)$  and  $|x - f(x)| \leq 1$  for all  $x$  in  $\mathbb{R}$ .
2. Identify all asymptotic behavior of the graph

$$g(x) = \frac{x^4 - x^3 + 7x^2 - x + 1}{x^3 + x}.$$

Determine, with justification, if this graph has a half-turn symmetry.

3. Determine if the following statement is true.

If  $f: \mathbb{R} \rightarrow \mathbb{R}$  is a function for which  $f(x + 10) = f(x) + f(10)$ , then  $f$  is linear.

4. Let  $f(x)$  be a quadratic polynomial with real coefficients. Prove that  $f(x)$  cannot be written as a sum of two periodic functions.
5. Call a real-valued function  $f$  *very convex* if

$$\frac{f(x) + f(y)}{2} \geq f\left(\frac{x+y}{2}\right) + |x - y|$$

holds for all real numbers  $x$  and  $y$ . Prove that no very convex function exists.